EASY ACCESS

H-FRAME




A STEP ABOVE

0800 394 222 sales@easyaccess.co.nz easyaccess.co.nz

H-FRAME®

NZ'S VERSATILE
LARGE MOBILE SCAFFOLD RANGE

Made in NZ, the H-Frame range is the ultimate choice in mobile scaffolding, offering maximum coverage, versatility, and durability. Rated to a huge 900kg, these heavy-duty towers come in single (0.8m) and double (1.37m) widths with platform lengths of 2.4m or 3.0m. Featuring two bracing options - snaplock and steel scissor - this fully welded range complies with AS/NZS 1576.1. With versatile add-on packs available, H-Frame is a go-to scaffold for tradies who demand reliability. Backed by a limited lifetime warranty, the H-Frame range offers superior quality for every job and includes outriggers & toeboards when required for compliance.





THE ORIGINAL. HEAVY DUTY, HIGHLY-ADAPTABLE & VERSATILE RANGE!

NEW ZEALAND MADE

MAXIMUM COVERAGE
UP TO 3M LONG

2 BRACING OPTIONS
SNAP-LOCK & STEEL SCISSOR

LIMITED*
LIFETIME
WARRANTY

COMPLIES TO
AS/NZS 1576

WELDED STRONG

OUTRIGGERS & TOEBOARDS INCLUDED
REQUIRED FOR COMPLIANCE

0800 394 222
sales@easyaccess.co.nz easyaccess.co.nz

A STEP ABOVE

H-FRAME®


MOBILE SCAFFOLD TOWER WITH ALUMINIUM SNAPLOCK

Rated for platforms up to 7m (scaffolders ticket required for platform heights over 4m).

3.35mm Aluminium wall thickness for added strength and durability vs the typical imported scaffold systems which are often a 1.6mm aluminium wall thickness.

Scaffold ladder included; the safest way to climb a mobile scaffold.

Plan brace included for strength and integrity even when moving the unit.



Folding Toeboard

H-Frame comes with 2 different bracing options. Aluminium snaplock bracing or steel scissor bracing.

Aluminium snaplock bracing.





Steel scissor bracing.


FMS400

900KG
LOAD RATING
(450KG PER PLATFORM)

COMPLIES TO
AS/NZS 1576

NEW ZEALAND MADE®

HOW TO CHOOSE YOUR H-FRAME



Our H-Frame mobile scaffold range is one of the most versatile on the market, with a configuration to suit almost any job. You can choose snaplock aluminium bracing or steel scissor bracing, a 2.4m or 3m length, and a single or double width. Then there's the height to decide. With so many combinations, we've put together the guide below to help you work through each option and find the right H-Frame scaffold for your work.

QUESTIONS YOU SHOULD ASK

STEP 1

BRACING TYPE:
Aluminium Snaplock Bracing or Steel Scissor Bracing?

H-Frame comes with 2 different bracing options. Aluminium Snaplock Bracing or Steel Scissor Bracing. Please see the following page for a guide to choose the right bracing system for you. Once you've decided, move onto step 2.



ALUMINIUM SNAPLOCK BRACING



STEEL SCISSOR BRACING

STEP 2

SCAFFOLD WIDTH:
Single or Double Width?

Double width scaffolds are our most popular models in the H-Frame range as they provide a large working platform. Single width models are great for tighter spaces but also require outriggers at a lower height which increases the space they use.



SINGLE




DOUBLE


STEP 3

SCAFFOLD LENGTH:
2.4m or 3m Long?

Choose between a 2.4m or 3m length. Our 2.4mL H-Frame Platforms are load rated to 450kg while our 3mL H-Frame Platforms are load rated to 225kg.



2.4M




3M

STEP 4

SCAFFOLD PLATFORM HEIGHT:
Which platform height?

Final step is choosing the platform height you will need. The available options are 2m, 3m, 4m and 5m platform heights. As a guide the standard reach height is 2m above the platform height. So a 5m platform gives a 7m reach height.



2M 3M 4M 5M

0800 394 222
sales@easyaccess.co.nz easyaccess.co.nz

A STEP ABOVE

H-FRAME BRACING OPTIONS

Every H-Frame scaffold comes with a choice of two bracing systems: durable galvanised steel scissor bracing or lightweight aluminium Snaplock bracing. Both are colour coded for fast, easy assembly. The right choice depends on how often you set up, who's doing the setup and your budget. Use the guide below to find the system that suits your team and your work.



WHICH BRACING IS RIGHT FOR YOU?

OPTION 1

H-FRAME STEEL SCISSOR BRACING

Durable galvanised steel: built to take the knocks of everyday site work.

Colour coded: you can find the right brace at a glance.

Hard to get wrong: each brace fits in only one place, so it's difficult to set up incorrectly.

Quick to set up: braces lock onto the frame with antiluce locks.

Best value: our most cost-effective H-Frame bracing option.







OPTION 2

H-FRAME ALUMINIUM SNAPLOCK BRACING

Lightweight aluminium: easier to carry, lift and transport.

Colour coded: you can find the right brace at a glance.

Our fastest setup: braces snap into place.

Install from a distance: braces snap on without your having to reach over and flip antiluce locks by hand.

Premium option: costs a little more than steel but saves time on every build.







H-FRAME® STEEL BRACING

H-FRAME STEEL BRACING 2.4M LONG MODELS

SINGLE WIDTH 0.8M X 2.4M LONG PLATFORM

			
SMT200 Platform Height 2m Overall Height 3m Reach Height 4m	**SMT300** Platform Height 3m Overall Height 4m Reach Height 5m	**SMT400** Platform Height 4m Overall Height 5m Reach Height 6m	**SMT500** Platform Height 5m Overall Height 6m Reach Height 7m

DOUBLE WIDTH 1.37M X 2.4M LONG PLATFORM

			
FMT200 Platform Height 2m Overall Height 3m Reach Height 4m	**FMT300** Platform Height 3m Overall Height 4m Reach Height 5m	**FMT400** Platform Height 4m Overall Height 5m Reach Height 6m	**FMT500** Platform Height 5m Overall Height 6m Reach Height 7m

H-FRAME STEEL BRACING 3.0M LONG MODELS


SINGLE WIDTH 0.8M X 3.0M LONG PLATFORM

			
SMT210 Platform Height 2m Overall Height 3m Reach Height 4m	**SMT310** Platform Height 3m Overall Height 4m Reach Height 5m	**SMT410** Platform Height 4m Overall Height 5m Reach Height 6m	**SMT510** Platform Height 5m Overall Height 6m Reach Height 7m

DOUBLE WIDTH 1.37M X 3.0M LONG PLATFORM

			
FMT210 Platform Height 2m Overall Height 3m Reach Height 4m	**FMT310** Platform Height 3m Overall Height 4m Reach Height 5m	**FMT410** Platform Height 4m Overall Height 5m Reach Height 6m	**FMT510** Platform Height 5m Overall Height 6m Reach Height 7m

FMT200



REACH HEIGHT 4M


INCLUDES




2X **FHM150** Multi-Crossmember Frame



2X **HFF250** Half H-Frame



2X **CBH210** 2.4m Half Frame Brace



2X **CBM110** 2.4m Multi Frame Brace



1X **LDR322** 2.85m Clip-on Ladder




4X **MCA620** HF Castor - Adjustable Height




4X **GRB420** 2.4m Grasper Guardrail



1X **PBA755** 2.4m Planbrace




1X **PFA465** 2.4m Access Platform



1X **PFS435** 2.4m Standard Platform

**Toeboard not included in pack & can be purchased separately.*

FMT300




REACH HEIGHT 5M

INCLUDES



4X **FHM150** Multi-Crossmember Frame



4X **CBM110** 2.4m Multi Frame Brace



4X **GRB420** 2.4m Grasper Guardrail




1X **PBA755** 2.4m Planbrace




1X **LDR323** 3.9m Clip-on Ladder



4X **MCA620** HF Castor - Adjustable Height



1X **PFA465** 2.4m Access Platform




1X **PFS435** 2.4m Standard Platform

**Toeboard not included in pack & can be purchased separately.*

0800 394 222
sales@easyaccess.co.nz easyaccess.co.nz
A STEP ABOVE

INDUSTRIAL H-FRAME SCAFFOLD SYSTEMS
DOUBLE WIDTH 1.37M X 2.4M LONG PLATFORM

FMT400



REACH HEIGHT 6M


INCLUDES




4X **FHM150** Multi-Crossmember Frame



2X **HFF250** Half H-Frame



2X **CBH210** 2.4m Half Frame Brace



4X **CBM110** 2.4m Multi Frame Brace



1X **LDR324** 4.8m Clip-on Ladder




4X **MCA620** HF Castor - Adjustable Height




4X **GRB420** 2.4m Grasper Guardrail



1X **PBA755** 2.4m Planbrace




1X **PFA465** 2.4m Access Platform



1X **PFS435** 2.4m Standard Platform

**Toeboard not included in pack & can be purchased separately.*

FMT500




REACH HEIGHT 7M

INCLUDES



6X **FHM150** Multi-Crossmember Frame



6X **CBM110** 2.4m Multi Frame Brace



4X **GRB420** 2.4m Grasper Guardrail




1X **PBA755** 2.4m Planbrace




1X **LDR325** 5.8m Clip-on Ladder



4X **MCA620** HF Castor - Adjustable Height



1X **PFA465** 2.4m Access Platform




1X **PFS435** 2.4m Standard Platform



2X **ORG705** 3.0m Outrigger

**Toeboard not included in pack & can be purchased separately.*

FMT210



REACH HEIGHT 4M


INCLUDES




2X **FHM150** Multi-Crossmember Frame



2X **HFF250** Half H-Frame



2X **CBH310** 3.0m Half Frame Brace



2X **CBM310** 3.0m Multi Frame Brace



1X **LDR322** 2.85m Clip-on Ladder




4X **MCA620** HF Castor - Adjustable Height



4X **GRB430** 3.0m Grasper Guardrail



1X **PBA765** 3.0m Planbrace




1X **PFA470** 3.0m Access Platform



1X **PFS440** 3.0m Standard Platform

**Toeboard not included in pack & can be purchased separately.*

FMT310




REACH HEIGHT 5M

INCLUDES



4X **FHM150** Multi-Crossmember Frame



4X **CBM310** 3.0m Multi Frame Brace



4X **GRB430** 3.0m Grasper Guardrail




1X **PBA765** 3.0m Planbrace



1X **LDR323** 3.9m Clip-on Ladder



4X **MCA620** HF Castor - Adjustable Height



1X **PFA470** 3.0m Access Platform



1X **PFS440** 3.0m Standard Platform


**Toeboard not included in pack & can be purchased separately.*

0800 394 222
sales@easyaccess.co.nz easyaccess.co.nz

A STEP ABOVE

INDUSTRIAL H-FRAME SCAFFOLD SYSTEMS
DOUBLE WIDTH 1.37M X 3.0M LONG PLATFORM

FMT410



REACH HEIGHT 6M


INCLUDES




4X **FHM150** Multi-Crossmember Frame



2X **HFF250** Half H-Frame



2X **CBH310** 3.0m Half Frame Brace



4X **CBM310** 3.0m Multi Frame Brace



1X **LDR324** 4.8m Clip-on Ladder




4X **MCA620** HF Castor - Adjustable Height



4X **GRB430** 3.0m Grasper Guardrail



1X **PBA765** 3.0m Planbrace




1X **PFA470** 3.0m Access Platform



1X **PFS440** 3.0m Standard Platform

**Toeboard not included in pack & can be purchased separately.*

FMT510




REACH HEIGHT 7M

INCLUDES



6X **FHM150** Multi-Crossmember Frame



6X **CBM310** 3.0m Multi Frame Brace



4X **GRB430** 3.0m Grasper Guardrail




1X **PBA765** 3.0m Planbrace



1X **LDR325** 5.8m Clip-on Ladder



4X **MCA620** HF Castor - Adjustable Height



1X **PFA470** 3.0m Access Platform



1X **PFS440** 3.0m Standard Platform




2X **ORG705** 3.0m Outrigger

**Toeboard not included in pack & can be purchased separately.*

SMT200

Reach Height 4m



REACH HEIGHT 4M


INCLUDES




2X **FHM800** Wide Multi-Crossmember Frame



2X **HFF800** Wide Half H-Frame



2X **CBM110** 2.4m Multi Frame Brace



2X **CBH210** 2.4m Half Frame Brace



4X **GRB420** 2.4m Grasper Guardrail




1X **PBA800** 2.4m Planbrace



1X **LDR322** 2.85m Clip-on Ladder



4X **MCA620** HF Castor - Adjustable Height




1X **PFA465** 2.4m Access Platform

**Toeboard not included in pack & can be purchased separately.*

SMT300

Reach Height 5m




REACH HEIGHT 5M

INCLUDES



4X **FHM800** Wide Multi-Crossmember Frame



4X **CBM110** 2.4m Multi Frame Brace




4X **GRB420** 2.4m Grasper Guardrail



1X **PBA800** 2.4m Planbrace



1X **LDR323** 3.9m Clip-on Ladder



1X **PFA465** 2.4m Access Platform



4X **MCA620** HF Castor - Adjustable Height



2X **ORG705** 3m Outrigger


**Toeboard not included in pack & can be purchased separately.*

0800 394 222
sales@easyaccess.co.nz easyaccess.co.nz
A STEP ABOVE

INDUSTRIAL H-FRAME SCAFFOLD SYSTEMS
SINGLE WIDTH 1.37M X 2.4M LONG PLATFORM

SMT400

Reach Height 6m



REACH HEIGHT 6M


INCLUDES




4X **FHM800** Wide Multi-Crossmember Frame



2X **HFF800** Wide Half H-Frame



4X **CBM110** 2.4m Multi Frame Brace



2X **CBH210** 2.4m Half Frame Brace




4X **GRB420** 2.4m Grasper Guardrail



1X **PBA800** 2.4m Planbrace



1X **LDR324** 4.8m Clip-on Ladder



1X **PFA465** 2.4m Access Platform



4X **MCA620** HF Castor - Adjustable Height




2X **ORG705** 3m Outrigger

**Toeboard not included in pack & can be purchased separately.*

SMT500

Reach Height 7m




REACH HEIGHT 7M

INCLUDES



6X **FHM800** Wide Multi-Crossmember Frame



6X **CBM110** 2.4m Multi Frame Brace




4X **GRB420** 2.4m Grasper Guardrail



1X **PBA800** 2.4m Planbrace



1X **LDR325** 5.8m Clip-on Ladder



1X **PFA465** 2.4m Access Platform



4X **MCA620** HF Castor - Adjustable Height




2X **ORG705** 3m Outrigger

**Toeboard not included in pack & can be purchased separately.*

SMT210

Reach Height 4m



REACH HEIGHT 4M


INCLUDES




2X **FHM800** Wide Multi-Crossmember Frame



2X **HFF800** Wide Half H-Frame



2X **CBM310** 3.0m Multi Frame Brace



2X **CBH310** 3.0m Half Frame Brace



4X **GRB430** 3.0m Grasper Guardrail




1X **PBA810** 3.0m Planbrace



1X **LDR322** 2.85m Clip-on Ladder



4X **MCA620** HF Castor - Adjustable Height




1X **PFA470** 3.0m Access Platform

**Toeboard not included in pack & can be purchased separately.*

SMT310

Reach Height 5m




REACH HEIGHT 5M

INCLUDES



4X **FHM800** Wide Multi-Crossmember Frame



4X **CBM310** 3.0m Multi Frame Brace




4X **GRB430** 3.0m Grasper Guardrail



1X **PBA810** 3.0m Planbrace



1X **LDR323** 3.9m Clip-on Ladder



1X **PFA470** 3.0m Access Platform



4X **MCA620** HF Castor - Adjustable Height



2X **ORG705** 3m Outrigger

**Toeboard not included in pack & can be purchased separately.*

0800 394 222
sales@easyaccess.co.nz easyaccess.co.nz
A STEP ABOVE

INDUSTRIAL H-FRAME SCAFFOLD SYSTEMS
SINGLE WIDTH 0.8M X 3.0M LONG PLATFORM

SMT410

Reach Height 6m



REACH HEIGHT 6M


INCLUDES




4X **FHM800** Wide Multi-Crossmember Frame



2X **HFF800** Wide Half H-Frame



4X **CBM310** 3.0m Multi Frame Brace



2X **CBH310** 3.0m Half Frame Brace




4X **GRB430** 3.0m Grasper Guardrail



1X **PBA810** 3.0m Planbrace



1X **LDR324** 4.8m Clip-on Ladder



1X **PFA470** 3.0m Access Platform



4X **MCA620** HF Castor - Adjustable Height




2X **ORG705** 3m Outrigger

**Toeboard not included in pack & can be purchased separately.*

SMT510

Reach Height 7m




REACH HEIGHT 7M

INCLUDES



6X **FHM800** Wide Multi-Crossmember Frame



6X **CBM310** 3.0m Multi Frame Brace




4X **GRB430** 3.0m Grasper Guardrail



1X **PBA810** 3.0m Planbrace



1X **LDR325** 5.8m Clip-on Ladder



1X **PFA470** 3.0m Access Platform



4X **MCA620** HF Castor - Adjustable Height



2X **ORG705** 3m Outrigger

**Toeboard not included in pack & can be purchased separately.*

H-FRAME SNAPLOCK BRACING 2.4M LONG MODELS

SINGLE WIDTH 0.8M X 2.4M LONG PLATFORM (900KG LOAD RATING - 450KG PER PLATFORM)

			
SMS200 Platform Height 2m Overall Height 3m Reach Height 4m	**SMS300** Platform Height 3m Overall Height 4m Reach Height 5m	**SMS400** Platform Height 4m Overall Height 5m Reach Height 6m	**SMS500** Platform Height 5m Overall Height 6m Reach Height 7m

DOUBLE WIDTH 1.37M X 2.4M LONG PLATFORM (900KG LOAD RATING - 450KG PER PLATFORM)

			
FMS200 Platform Height 2m Overall Height 3m Reach Height 4m	**FMS300** Platform Height 3m Overall Height 4m Reach Height 5m	**FMS400** Platform Height 4m Overall Height 5m Reach Height 6m	**FMS500** Platform Height 5m Overall Height 6m Reach Height 7m

H-FRAME SNAPLOCK BRACING 3.0M LONG MODELS

SINGLE WIDTH 0.8M X 3.0M LONG PLATFORM (450KG LOAD RATING - 225KG PER PLATFORM)

			
SMS210 Platform Height 2m Overall Height 3m Reach Height 4m	**SMS310** Platform Height 3m Overall Height 4m Reach Height 5m	**SMS410** Platform Height 4m Overall Height 5m Reach Height 6m	**SMS510** Platform Height 5m Overall Height 6m Reach Height 7m

DOUBLE WIDTH 1.37M X 3.0M LONG PLATFORM (450KG LOAD RATING - 225KG PER PLATFORM)


			
FMS210 Platform Height 2m Overall Height 3m Reach Height 4m	**FMS310** Platform Height 3m Overall Height 4m Reach Height 5m	**FMS410** Platform Height 4m Overall Height 5m Reach Height 6m	**FMS510** Platform Height 5m Overall Height 6m Reach Height 7m

0800 394 222
sales@easyaccess.co.nz easyaccess.co.nz
A STEP ABOVE

INDUSTRIAL HEAVY DUTY H-FRAME SCAFFOLD TOWERS
DOUBLE WIDTH 1.37M X 2.4M LONG PLATFORM

FMS200

Reach Height 4m



REACH HEIGHT 4M

INCLUDES



2X **FHM150** Multi-Crossmember Frame



2X **HFF250** Half H-Frame



1X **LDR322** 2.85m Clip-on Ladder



4X **MCA620** HF Castor - Adjustable Height




3X **ACB110** 2.4m Aluminium Cross Brace




6X **GRB420** 2.4m Grasper Guardrail



1X **PBA755** 2.4m Planbrace



1X **PFA465** 2.4m Access Platform




1X **PFS435** 2.4m Standard Platform

**Toeboard not included in pack & can be purchased separately.*

FMS300

Reach Height 5m



REACH HEIGHT 5M

INCLUDES



4X **FHM150** Multi-Crossmember Frame



1X **LDR323** 3.9m Clip-on Ladder



4X **MCA620** HF Castor - Adjustable Height




5X **ACB110** 2.4m Aluminium Cross Brace




6X **GRB420** 2.4m Grasper Guardrail



1X **PBA755** 2.4m Planbrace




1X **PFA465** 2.4m Access Platform



1X **PFS435** 2.4m Standard Platform

**Toeboard not included in pack & can be purchased separately.*

FMS400



REACH HEIGHT 6M

INCLUDES



4X **FHM150** Multi-Crossmember Frame



2X **HFF250** Half H-Frame



1X **LDR324** 4.8m Clip-on Ladder



4X **MCA620** HF Castor - Adjustable Height




7X **ACB110** 2.4m Aluminium Cross Brace




6X **GRB420** 2.4m Grasper Guardrail



1X **PBA755** 2.4m Planbrace




1X **PFA465** 2.4m Access Platform



1X **PFS435** 2.4m Standard Platform

**Toeboard not included in pack & can be purchased separately.*

FMS500



REACH HEIGHT 7M

INCLUDES



6X **FHM150** Multi-Crossmember Frame



1X **LDR325** 5.8m Clip-on Ladder



4X **MCA620** HF Castor - Adjustable Height




9X **ACB110** 2.4m Aluminium Cross Brace




6X **GRB420** 2.4m Grasper Guardrail



1X **PBA755** 2.4m Planbrace



1X **PFA465** 2.4m Access Platform



1X **PFS435** 2.4m Standard Platform



2X **ORG705** 3.0m Outrigger


**Toeboard not included in pack & can be purchased separately.*

0800 394 222
sales@easyaccess.co.nz easyaccess.co.nz
A STEP ABOVE

INDUSTRIAL HEAVY DUTY H-FRAME SCAFFOLD TOWERS
DOUBLE WIDTH 1.37M X 3.0M LONG PLATFORM

FMS210

Reach Height 4m



REACH HEIGHT 4M

INCLUDES



2X **FHM150** Multi-Crossmember Frame



2X **HFF250** Half H-Frame



1X **LDR322** 2.85m Clip-on Ladder



4X **MCA620** HF Castor - Adjustable Height




3X **ACB310** 3.0m Aluminium Cross Brace



6X **GRB430** 3.0m Grasper Guardrail



1X **PBA765** 3.0m Planbrace



1X **PFA470** 3.0m Access Platform



1X **PFS440** 3.0m Standard Platform

**Toeboard not included in pack & can be purchased separately.*

FMS310

Reach Height 5m



REACH HEIGHT 5M

INCLUDES



4X **FHM150** Multi-Crossmember Frame



1X **LDR323** 3.9m Clip-on Ladder



4X **MCA620** HF Castor - Adjustable Height




5X **ACB310** 3.0m Aluminium Cross Brace




6X **GRB430** 3.0m Grasper Guardrail



1X **PBA765** 3.0m Planbrace




1X **PFA470** 3.0m Access Platform



1X **PFS440** 3.0m Standard Platform

**Toeboard not included in pack & can be purchased separately.*

FMS410



REACH HEIGHT 6M

INCLUDES



4X **FHM150** Multi-Crossmember Frame



2X **HFF250** Half H-Frame



1X **LDR324** 4.8m Clip-on Ladder



4X **MCA620** HF Castor - Adjustable Height




7X **ACB310** 3.0m Aluminium Cross Brace



6X **GRB430** 3.0m Grasper Guardrail



1X **PBA765** 3.0m Planbrace




1X **PFA470** 3.0m Access Platform



1X **PFS440** 3.0m Standard Platform

**Toeboard not included in pack & can be purchased separately.*

FMS510



REACH HEIGHT 7M

INCLUDES



6X **FHM150** Multi-Crossmember Frame



1X **LDR325** 5.8m Clip-on Ladder



4X **MCA620** HF Castor - Adjustable Height




9X **ACB310** 3.0m Aluminium Cross Brace



6X **GRB430** 3.0m Grasper Guardrail



1X **PBA765** 3.0m Planbrace



1X **PFA470** 3.0m Access Platform



1X **PFS440** 3.0m Standard Platform



2X **ORG705** 3.0m Outrigger

**Toeboard not included in pack & can be purchased separately.*

0800 394 222
sales@easyaccess.co.nz easyaccess.co.nz
A STEP ABOVE

INDUSTRIAL HEAVY DUTY H-FRAME SCAFFOLD TOWERS
SINGLE WIDTH 0.8M X 2.4M LONG PLATFORM

SMS200



REACH HEIGHT 4M

INCLUDES



2X **FHM800** Multi-Crossmember Frame



2X **HFF800** Half H-Frame



1X **LDR322** 2.85m Clip-on Ladder



4X **MCA620** HF Castor - Adjustable Height




3X **ACB110** 2.4m Aluminium Cross Brace



6X **GRB420** 2.4m Grasper Guardrail




1X **PBA800** 2.4m Planbrace



1X **PFA465** 2.4m Access Platform

**Toeboard not included in pack & can be purchased separately.*

SMS300



REACH HEIGHT 5M

INCLUDES



4X **FHM800** Multi-Crossmember Frame



1X **LDR323** 3.9m Clip-on Ladder



4X **MCA620** HF Castor - Adjustable Height




5X **ACB110** 2.4m Aluminium Cross Brace



6X **GRB420** 2.4m Grasper Guardrail



1X **PBA800** 2.4m Planbrace



1X **PFA465** 2.4m Access Platform



2X **ORG705** 3.0m Outrigger

**Toeboard not included in pack & can be purchased separately.*

SMS400

Reach Height 6m



REACH HEIGHT 6M

INCLUDES



4X **FHM800** Multi-Crossmember Frame



2X **HFF800** Half H-Frame



1X **LDR324** 4.8m Clip-n Ladder



4X **MCA620** HF Castor - Adjustable Height




7X **ACB110** 2.4m Aluminium Cross Brace



6X **GRB420** 2.4m Grasper Guardrail



1X **PBA800** 2.4m Planbrace



1X **PFA465** 2.4m Access Platform




2X **ORG705** 3.0m Outrigger

**Toeboard not included in pack & can be purchased separately.*

SMS500

Reach Height 7m



REACH HEIGHT 7M

INCLUDES



6X **FHM800** Multi-Crossmember Frame



1X **LDR325** 5.8m Clip-on Ladder



4X **MCA620** HF Castor - Adjustable Height




9X **ACB110** 2.4m Aluminium Cross Brace



6X **GRB420** 2.4m Grasper Guardrail



1X **PBA800** 2.4m Planbrace



1X **PFA465** 2.4m Access Platform



2X **ORG705** 3.0m Outrigger


**Toeboard not included in pack & can be purchased separately.*

0800 394 222
sales@easyaccess.co.nz easyaccess.co.nz

A STEP ABOVE

INDUSTRIAL HEAVY DUTY H-FRAME SCAFFOLD TOWERS
SINGLE WIDTH 0.8M X 3.0M LONG PLATFORM

SMS210



REACH HEIGHT 4M

INCLUDES



2X **FHM800** Multi-Crossmember Frame



2X **HFF800** Half H-Frame



1X **LDR322** 2.85m Clip-on Ladder



4X **MCA620** HF Castor - Adjustable Height




3X **ACB310** 3.0m Aluminium Cross Brace



6X **GRB430** 3.0m Grasper Guardrail



1X **PBA810** 3.0m Planbrace



1X **PFA470** 3.0m Access Platform

**Toeboard not included in pack & can be purchased separately.*

SMS310



REACH HEIGHT 5M

INCLUDES



4X **FHM800** Multi-Crossmember Frame



1X **LDR323** 3.9m Clip-on Ladder



4X **MCA620** HF Castor - Adjustable Height




5X **ACB310** 3.0m Aluminium Cross Brace



6X **GRB430** 3.0m Grasper Guardrail



1X **PBA810** 3.0m Planbrace



1X **PFA470** 3.0m Access Platform



2X **ORG705** 3.0m Outrigger

**Toeboard not included in pack & can be purchased separately.*

SMS410

Reach Height 6m



REACH HEIGHT 6M

INCLUDES



4X **FHM800** Multi-Crossmember Frame



2X **HFF800** Half H-Frame



1X **LDR324** 4.8m Clip-n Ladder



4X **MCA620** HF Castor - Adjustable Height




7X **ACB310** 3.0m Aluminium Cross Brace



6X **GRB430** 3.0m Grasper Guardrail



1X **PBA810** 3.0m Planbrace



1X **PFA470** 3.0m Access Platform




2X **ORG705** 3.0m Outrigger

**Toeboard not included in pack & can be purchased separately.*

SMS510

Reach Height 7m



REACH HEIGHT 7M

INCLUDES



6X **FHM800** Multi-Crossmember Frame



1X **LDR325** 5.8m Clip-on Ladder



4X **MCA620** HF Castor - Adjustable Height




9X **ACB310** 3.0m Aluminium Cross Brace



6X **GRB430** 3.0m Grasper Guardrail



1X **PBA810** 3.0m Planbrace



1X **PFA470** 3.0m Access Platform



2X **ORG705** 3.0m Outrigger

**Toeboard not included in pack & can be purchased separately.*

0800 394 222
sales@easyaccess.co.nz easyaccess.co.nz
A STEP ABOVE

TOE BOARD BRACKETS FOR STRAIGHT RUNS & CORNERS


Easy Access Toe Board Brackets provide a simple way to create continuous toe board protection along straight scaffold runs and around corners.


Available in Straight, Inner Corner and Outer Corner configurations, the brackets can be used with wooden or aluminium toe boards up to 20mm thick and 3000mm long.


They are particularly useful with our Longspan Platforms and can be used across Easy Access scaffold systems.

- *Straight, Inner Corner and Outer Corner options*
- *Suitable for wooden or aluminium toe boards up to 20mm thick*
- *Suitable for toe boards up to 3000mm long*
- *Ideal for Longspan Platform configurations*
- *Suitable across Easy Access scaffold systems*
- *Quick and simple to install*
- *Helps create continuous toe board protection*
- *Flexible for changing scaffold configurations*

Use with Easy Access Longspan Platforms to create continuous toe board protection across longer scaffold runs and around corners.







CODE	DESCRIPTION
80180	Toeboard Corner Coupler Inner
80181	Toeboard Corner Coupler Outer
80182	Toeboard Corner Coupler Straight




LONG SPAN H-FRAME PLATFORM JOINS TWO TOWERS TOGETHER FOR LONGLINE ACCESS


FEATURES & BENEFITS

- *3m - 6m long span platform, set up in minutes*
- *225kg load rating*
- *Lightweight and easy to handle*
- *Cover more area efficiently*
- *2x longspan platforms fit side by side for a fully decked platform*

F POST



CODE	DESCRIPTION	LENGTH
LSP300	3m Long Span	3.0m
LSP400	4m Long Span	4.0m
LSP500	5m Long Span	5.0m
LSP600	6m Long Span	6.0m
LSH300	3m Longspan Handrail	3.0m
LSH400	4m Longspan Handrail	4.0m
LSH500	5m Longspan Handrail	5.0m
LSH600	6m Longspan Handrail	6.0m
LSP100	Longspan 'F' Post	-
LSP150	Longspan Single Post	-



** Toeboards omitted for clarity*

SINGLE POST





Toe Board Brackets for Straight Runs & Corners See Page 24

0800 394 222
sales@easyaccess.co.nz easyaccess.co.nz

A STEP ABOVE

ALUMINIUM 'Z' STAIRS

FEATURES & BENEFITS

- *Used with Easy Access heavy duty H-Frames*
- *Much safer to use than ladders, carry tools and equipment easily*
- *Lightweight - easy one man handling*
- *Fast - dramatically increases scaffolding efficiency*



CODE	DESCRIPTION	LENGTH
STR310	Stair - Fits 2.4m Bay Length	2.4m
STR320	Stair - Fits 3.0m Bay Length	3.0m
STH310	Stair External Handrail	2.4m
STH320	Stair External Handrail	3.0m
STI310	Stair Internal Handrail	2.4m
STI320	Stair Internal Handrail	3.0m

* Customised lengths and widths available

CLIP-ON ROLLING TOWER EXTENSION LADDER

FEATURES & BENEFITS

- *Used with Easy Access heavy duty H-Frames*
- *Compacts for easy handling and transportation - No longer need an unwieldy 6m long ladder on the roof rack for a 5m tower*
- *Lightweight and robust aluminium construction*
- *Extends to different height settings*
- *Adjustable brace to compensate when the ladder is at different heights*
- *Attaches to Easy Access H-Frames using hooks*



CODE	DESCRIPTION	LENGTH
LDR322	Clip-on rolling tower extension ladder	2.7m
LDR323	Clip-on rolling tower extension ladder	3.6m
LDR324	Clip-on rolling tower extension ladder	4.8m
LDR325	Clip-on rolling tower extension ladder	5.7m

HEAVY DUTY H-FRAME COMPONENTS

END FRAME


- 1.9m High
- Four Rails 500mm apart
- Planks and platforms can be placed on all levels



CODE	DESCRIPTION
FHM150	Double Width End Frame
FHM800	Single Width End Frame

END FRAME (WALK THROUGH)

- 2m High
- Designed to give walk-through head clearance
- Bottom tie-rail provides durability
- Weighs 8kg



CODE	DESCRIPTION
FHF150	Double width End Frame (Walk Through)
FHF800	Single Width End Frame (Walk Through)

HALF H-FRAME

- 950mm High
- Can serve as either guardrails or as a half stage platform level



CODE	DESCRIPTION
HFF250	Double Width Half End Frame
HFF800	Single Width Half End Frame

ADJUSTABLE HEIGHT CASTORS


- Rated at 500kgs
- Fully braked
- Positive braking
- Low maintenance
- Non-marking wheels



CODE	DESCRIPTION
MCA620	150mm Diam

CROSS BRACE FOR 2.4M PLATFORM


- Galvanised steel scissor brace adds strength and durability to the system
- Colour coded for easy identification



CODE	DESCRIPTION
CBF110	Walk-througH-Frame Cross Brace
CBM110	Cross Member Cross Brace
CBH210	Half Frame Cross Brace

CROSS BRACE FOR 3.0M PLATFORM

- Braces lock to frame on "drop-lock" latches
- Braces fold flat for easy storage and handling
- Colour coded for easy identification



CODE	DESCRIPTION
CBF310	Walk-througH-Frame Cross Brace
CBM310	Multi Cross Member Cross Brace
CBH310	Half Frame Cross Brace

GUARDRAIL POST


- Supports guardrails on multi-bay arrangements
- Allows walk-through access at top platform level



CODE	DESCRIPTION
GPA450	Guardrail Post

STANDARD PLATFORM


- Aluminium subframe with plywood decking hook onto any crossmembers
- Works as extra ledger type bracing making scaffold more rigid
- Lightweight



CODE	DESCRIPTION
PFS435	Standard Platform 600mm x 2.4m long
PFS440	Standard Platform 600mm x 3m long

SLEEVE GUARDRAIL


- Fits over H-Frame spigots and are locked in place with D clips
- Simple and low cost



CODE	DESCRIPTION
GRA405	Sleeve Guardrail 2.4m long
GRA410	Sleeve Guardrail 3m long

OUTRIGGER


- Stabilise scaffold when setup over the 3:1 ratio of height to base width
- Easily fitted with hand tightened couplers



CODE	DESCRIPTION
ORG705	3m Outrigger (Each)

ACCESS PLATFORM

- Hatch opening allows ladder to be put through
- Hatch locks down when not in use so will not flap open accidentally



CODE	DESCRIPTION
PFA465	Access Platform 600mm x 2.4m long
PFA470	Access Platform 600mm x 3m long

LADDERS

- Top hooks locate over crossmembers
- Two struts hold ladder at required slope & clip to lower frame




CODE	DESCRIPTION
LDR322	2.85m Ladder
LDR323	3.9m Ladder
LDR324	4.8m Ladder
LDR325	5.8m Ladder

0800 394 222
sales@easyaccess.co.nz easyaccess.co.nz
A STEP ABOVE

SNAPLOCK GUARDRAIL


- Snap-on couplers allow guardrail to be attached to any crossmember on H-Frame
- Easily repositioned



CODE	DESCRIPTION
GRB420	Snaplock Guardrail 2.4m long
GRB430	Snaplock Guardrail 3m long

PLANBRACE

- Required when using castors to prevent tower slewing
- Easily fitted with spring loaded snaplocks



CODE	DESCRIPTION
PBA755	Planbrace 2.4m long
PBA765	Planbrace 3m long

DIAGONAL BRACE

- To fit SMS and FMS Snaplock Braced Towers



CODE	DESCRIPTION
ACB110	Diagonal Brace for 2.4mL Platform
ACB310	Diagonal Brace for 3mL Platform

LOCKING SPIGOT



CODE	DESCRIPTION
IN48	Locking Spigot

PLANKS

- Laminated
- High strength and durability



CODE	DESCRIPTION
PLW470	Wood 3m Long

TOEBOARDS

- Required where there is a risk of people or objects falling from 2m or more
- Quickly attached to platform



CODE	DESCRIPTION
TBP510	Toeboards for 2.4mL Platform (set of 4)
TBP520	Toeboards for 3mL Platform (set of 4)


BASE PLATE ADJUSTABLE

- Height adjustment of 300mm
- Screw thread for fine adjustment
- Held captive to frame so will not drop out when frame is lifted



CODE	DESCRIPTION
BPA605	Base Plate Adjustable

COUPLINGS



CODE	DESCRIPTION
FX48	Fixed 90° Coupling
SW48	Swivel Coupling


ALUMINIUM TUBE

- Standard scaffold diameter tube
- With use of the tube and coupler the system is very adaptable to most situations




CODE	DESCRIPTION
ALT740	Aluminium Tube

H-FRAME ALL TERRAIN BASE PACK




CODE	DESCRIPTION
MATB30	H-Frame All Terrain Base Pack

HF GRAVITY LATCH



CODE	DESCRIPTION
HFGRAVITY	Anti Luce Bolt

D CLIPS



CODE	DESCRIPTION
DCLIPS	5/16 Shaft Locking Pins



0800 394 222
sales@easyaccess.co.nz easyaccess.co.nz

A STEP ABOVE




EASY REACH

SAFE AND SIMPLE ACCESS FOR A PLATFORM HEIGHT OF 1-4 METRES

FEATURES & BENEFITS

- *300mm of baseplate adjustment makes it useable on rough terrain*
- *Minimal componentry makes it quick and easy to assemble*
- *600mm wide platforms are rated to 225kg allowing access for 2 people at once*
- *Can be used with 3 standard scaffold planks*
- *Can be used with standard Easy Access 800mm wide H frames for extra height*
- *2.4m and 3m bay lengths are available*
- *Bridging ledgers allow the system to go around a house*
- *Safety access gate available*
- *Additional midrails are required on platforms above 1m in height*

UTILISE COMPONENTS FROM EXISTING EASY ACCESS EQUIPMENT



NEW ZEALAND MADE


COMPLIES TO AS/NZS 1576

225KG LOAD RATING

Note: Some sites require midrails on platforms regardless of height.


H-FRAME®

EASYREACH



ADD EASY ACCESS H-FRAMES
FOR PLATFORM HEIGHT UP TO 4M

FAST SET-UP TIMES 4 BAYS IN 10 MINUTES!



CORNER CONFIGURATION WITH
SAFETY ACCESS GATE







IN USE WITH SCAFFOLD PLANKS

0800 394 222
sales@easyaccess.co.nz easyaccess.co.nz

A STEP ABOVE

EASYREACH PACKS

STARTER PACK

LLP01 - 2.4	DESCRIPTION	BATCH QTY
LLF800	800 Multi Cross L Frame	2
CBM110	Multi Frame Cross Brace 2.4m	1
PFS435	Standard Platform 2.4m	1
GRB420	Snaplock Guardrail 2.4m	1
BPA605	Adj Base Plate	4
LARG0.5	Ladder Access Gate	1

LLP02 - 3M	DESCRIPTION	BATCH QTY
LLF800	800 Multi Cross L Frame	2
CBM310	Multi Frame Cross Brace 3m	1
PFS440	Standard Platform 3m	1
GRB430	Snaplock Guardrail 3m	1
BPA605	Adj Base Plate	4
LARG0.5	Ladder Access Gate	1


- Toeboards are required if the platform is over 2m high
- Timber scaffold planks can be used to create a toe board
- Additional Ladder Access Gates are available to close in corners
- Midrails are required on cross braced bays with platforms above 1m high



ADD ON BAYS

LLP03 - 2.4	DESCRIPTION	BATCH QTY
LLF800	800 Multi Cross L Frame	1
CBM110	Multi Frame cross brace 2.4m	1
PFS435	Standard Platform 2.4m	1
GRB420	Snaplock Guardrail 2.4m	1
BPA 605	Adj Base Plate	2

LLP04 - 3M	DESCRIPTION	BATCH QTY
LLF800	800 Multi Cross L Frame	1
CBM310	Multi Frame Cross Brace 3m	1
PFS440	Standard Platform 3m	1
GRB430	Snaplock Guardrail 3m	1
BPA605	Adj Base Plate	2




EASYREACH PACKS

14.4/18M STRAIGHT PACK


LLP05 - 14.4M	DESCRIPTION	BATCH QTY
LLF800	800 Multi Cross L Frame	7
CBM110	Multi Frame Cross Brace 2.4m	6
PFS435	Standard Platform 2.4m	6
GRB420	Snaplock Guardrail 2.4m	6
BPA605	Adj Base Plate	14

LLP06 - 18M	DESCRIPTION	BATCH QTY
LLF800	800 Multi Cross L Frame	7
CBM310	Multi Frame Cross Brace 3m	6
PFS440	Standard Platform 3m	6
GRB430	Snaplock Guardrail 3m	6
BPA605	Adj Base Plate	14



60M HOUSE-LOT

LLP07 - 60M	DESCRIPTION	BATCH QTY
LLF800	800 Multi Cross L Frame	20
CBM110	Multi Frame Cross Brace 2.4m	10
PFS435	Standard Platform 2.4	10
GRB420	Snaplock Guardrail 2.4	10
BPA605	Adj Base Plate	40
CBM310	Multi Frame Cross Brace 3m	6
PFS440	Standard Platform 3m	10
GRB430	Snaplock Guardrail 3m	14
IHP	Intermediate Handrail Post	4
LAG0.5	Self Closing Swing Gate	4
GRL300	3.0m Reinforced Grasper Ledger	2



0800 394 222
sales@easyaccess.co.nz easyaccess.co.nz
A STEP ABOVE

EASY ACCESS

HEAD OFFICE MANUFACTURING AND NORTHERN DISTRIBUTION
334 Main Highway 12,
Maungaturoto, New Zealand
PO Box 62, Maungaturoto
Northland, New Zealand 0547

SOUTHERN DISTRIBUTION CENTRE
9 Venning Crescent, Cromwell 9310

FREEPHONE 0800 394 222
P +64 9 431 1055
F +64 9 431 8110

www.easyaccess.co.nz